



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2021010907376520

Valid from: Mar.24,2021

Valid until: Mar.24,2026

NAME AND REGISTERED ADDRESS OF THE APPLICANT	Moso Power Supply Technology Co., Ltd. Santai Industrial Park, Guanwai Xiaobaimang, Songbai Road, Nanshan District, Shenzhen.
NAME AND REGISTERED ADDRESS OF THE MANUFACTURER	MOSO POWER SUPPLY TECHNOLOGY CO.,LTD. Santai Industrial Park, Guanwai Xiaobaimang, Songbai Road, Nanshan District, Shenzhen City, Guangdong Province, P.R.China
NAME AND LOCATION OF THE FACTORY	Huizhou MOSO Energy Technology Co.,Ltd. Hongda International Industrial City, Luoyang Town, Boluo County, Huizhou City, Guangdong 516100, China
PRODUCT MODEL(S)	SWITCHING ADAPTER See Appendix (Altitude up to 5000m)
STANDARDS AND TECHNICAL REQUIREMENTS	GB 17625.1-2012;GB 4943.1-2011;GB/T 9254-2008

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C09-01:2014)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA' s website: www.cnca.gov.cn



SIGNATURE:

CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2021010907376520

page 1 of 1

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号 : MS-ZxxxxRyyy-048D0-Q, MS-ZxxxxRyyy-048D0-E(其中
xxxx=0100-3330, 表示电流输出范围 0.1-3.33A, 步进值为 0.01A,
yyy=090-120 表示输出电压范围 9.0-12.0VDC, 步进值为 0.1V)

规格 :

输入 : 100-240V~ 或 200-240V~ 50/60Hz 1.2A max.

输出 : 见型号规格列表

型号	输出电压 (VDC)	额定输出电流 (A)	最大输出功率 (W)
MS-ZxxxxRyyy-048D0-Q MS-ZxxxxRyyy-048D0-E	9.0-12.0	0.1-3.33	40.0

注: 其中xxxx=0100-3330, 表示电流输出范围0.1-3.33A, 步进值为0.01A, yyy=090-120表示输出电压范围9.0-12.0VDC, 步进值为0.1V

Annex



CHINA QUALITY CERTIFICATION CENTRE